

# Powertec CAT5e Indoor Network Cable, 1m Blue

SKU: ACC-PT-00514

## Description

The Powertec CAT5e Indoor Network Cable, measuring 1 metre in length, is a reliable solution for establishing efficient Ethernet connections within indoor environments. Designed as a patch cable, it is ideal for connecting network devices such as computers, routers, and switches within a home or office setting. The cable is constructed with F/UTP shielding, utilising aluminium foil to minimise electromagnetic interference, ensuring stable data transmission. Its stranded copper inner conductor, with a 24AWG bare copper design, provides flexibility and durability during installation and use.

Encased in a durable polyvinyl chloride (PVC) outer jacket, this cable is suited for indoor applications, operating effectively within temperatures ranging from -20 °C to 75 °C. The polyethylene insulation further enhances the cable's performance by maintaining signal integrity. The blue colour coding aids in easy identification and organisation within...



[Read More](#)

## Physical Specification

Subtype:	Patch Cable	Length:	1 m
Weight:	53 g		

### Ethernet Connector

Interface	Powertec	Shielding	Pinout
RJ45 Copper	 <p>Powertec is a wireless technology manufacturer and systems integrator based in Australia. Operating since 1995, Powertec has grown to become the leading wireless technology distributor in its region, and a leading Infratech systems developer. Supporting over 1500 partners the company provides procurement, design, project management, and support services across Australia, New Zealand, Pacific ...</p>	Shielded	T568A
RJ45 Copper		Shielded	T568A

## Powertec C5EFUTP Category-5e F/UTP Ethernet Cable

Ethernet Category:	Cat5e	Min. Operating Temperature:	-20 °C
Shielding:	F/UTP	Max. Operating Temperature:	75 °C
Colour:	Blue		
Environmental Suitability:	Indoor Use		

Cable Layers

Layer	Materials	Notes
Inner Conductor	Stranded Copper	24AWG Bare Copper
Conductor Insulation	Polyethylene (PE)	
Shielding	Aluminium Foil	
Outer Jacket	Polyvinyl Chloride (PVC)	

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

