

Cambium Networks C050045B001A 5 GHz PTP 450i END, Connectorised (ROW)

SKU: WIF-CB-00115
 MPN: C050045B001

Description

Cambium's PTP 450i is a durable 5 GHz point-to-point microwave radio capable of providing data connectivity up to 300 Mbps with very high reliability.

PTP 450i provides industrial grade performance with IP66 / IP67 ingress protection, while maintaining a very reasonable price point. The unit can be set to use any 40 MHz channel within the entire 5 GHz band to achieve in excess of 300 Mbps of real throughput using modulation up to 256QAM and 2x2 MIMO.


With its Motorola legacy and industrial metal enclosure it should be no surprise the unit boasts a working life (MTBF) of over 40 years.

Several variations are available, with the connectorised unit shown. In addition to multiple high gain parabolic options, an integrated 23 dBi unit is also very popular for short-to-medium range links.

[Read More](#)

Network Interfaces

Wireless Interfaces

Topology:	Point-to-Point (P2P)	Max. Clients:	1
Max. Throughput:	300 Mb/s	Latency:	5 ms
Encryption:	 Cambium Networks AES-128	Aggregate Channel Width:	40 MHz
Transmit Power:	28 dBm	Aggregate Channel Width:	40 MHz
Agg. Data Rate:	300 Mb/s		



Wireless Bands	Start Frequency	Stop Frequency	MIMO	Channel Width	Modulation	Max. Data Rate
5 GHz	4900 MHz	5925 MHz	2x2 MIMO	40 MHz	256QAM	300 Mb/s

RF Connections

RF Connector Function	Quantity	RF Interface
Wireless Link	2	N Female

Ethernet Interfaces

Interface	Quantity	Function	Signalling	PoE Input
RJ45 Copper	1	Data + PoE In	100BASE-T, 1000BASE-T	802.3at PoE+
RJ45 Copper	1	Aux + PoE Out	100BASE-T, 1000BASE-T	802.3at PoE+

Physical Specification

Subtype:	Wireless Bridge	Dimensions:	64 × 134 × 260 mm
Min. Operating Temperature:	-40 °C	Weight:	2 kg
Max. Operating Temperature:	75 °C	Materials:	Aluminium
Ingress Protection:	IP67	Mounting:	Cambium 4/8-Bolt Pattern
MTBF:	> 350000 h	Compliance/Certifications:	CE
		RCM	
		RoHS	

Power Specifications

Max. Consumption:	18 W	Typical Consumption:	15 W
-------------------	------	----------------------	------

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

