POWERTEC | DATASHEET | UNCONTROLLED WHEN PRINTED PUBLIC | July 20, 2025 09:00

Page



Powertec Wireless Technology ABN: 42 082 948 463 PO Box 1034, Ashmore City Queensland, Australia, 4214 sales@powertec.com.au 1300 769 378

PSF-402 Patch Cable 4.3-10 Male to 4.3-10 Male Low PIM 1m

SKU IBC-PT-00090 MPN CA-R402-431431.1 Barcode 9337692002809

Description





Powertec

Powertec is a wireless technology manufacturer and systems integrator based in Australia. Operating since 1995, Powertec has grown to become the leading wireless technology distributor in its region, and a leading Infratech systems developer. Supporting over 1500 partners the company provides procurement, design, project management, and support services across Australia, New Zealand, Pacific ...

RF Specification

Start Frequency 0 GHz Stop Frequency 6 GHz

Physical Specification

Subtype

Jumper Cable

Mating Cycles

> 500

Compliance/Certifications

ISO 9001 Quality Management

,

RoHS

Length

1 m

Weight

75 g

RF Connectors

RF Interface Body Shape Mounting

4.3-10 Male Straight Free Hanging4.3-10 Male Straight Free Hanging

PSF-402

Min. Frequency

0 GHz

Impedance

50 Ω

Min. Bend Radius Static

8 mm

Min. Bend Radius Dynamic

40 mm

Max. Frequency

34 GHz
Shielding Effectiveness
> 110 dB
Colour
Blue
Cable Layers

LayerDiameterMaterialsInner Conductor0.93 mmSilver Plated Copper (SC)Dielectric3.00 mmPTFE / TeflonOuter Conductor3.52 mmTin Soaked Copper BraidOuter Jacket4.20 mmPolyolefin LSZH

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

