

RF Adapter 4.3-10 Female to N Male

SKU: IBC-PT-00025

MPN: AD-432N1

Description

The RF Adapter 4.3-10 Female to N Male (SKU: IBC-PT-00025), developed by Powertec, is a high-quality RF adapter designed for seamless connectivity. Featuring a robust brass body with a white bronze plating and phosphor bronze inner contacts with silver plating, this adapter ensures reliable performance and durability. The PTFE/Teflon insulator provides excellent thermal stability, capable of operating in temperatures ranging from -65 °C to 165 °C.

This adapter supports a frequency range from 0 GHz to 6 GHz, making it versatile for various applications. It boasts a 3rd Order PIM rating of ≤ -160 dBc, ensuring minimal interference in signal transmission. The input impedance is 50 Ω , suitable for standard RF systems. Both connectors, the 4.3-10 Female and N Male, feature a straight body with a free-hanging mounting style, facilitating easy installation.

At 6000 MHz, the adapter demonstrates a VSWR of $\leq 1.25:1$, ensuring efficient signal...

[Read More](#)

[RF Connector Interface](#)



RF Interface	Body Shape	Mounting
4.3-10 Female	Straight	Free Hanging
N Male	Straight	Free Hanging

RF Specification



Powertec is a wireless technology manufacturer and systems integrator based in Australia. Operating since 1995, Powertec has grown to become the leading wireless technology distributor in its region, and a leading Infratech systems developer. Supporting over 1500 partners the company provides procurement, design, project management, and support services across Australia, New Zealand, Pacific ...

Start Frequency:	0 GHz	Input Impedance:	50
Stop Frequency:	6 GHz		
PIM, 3rd Order:	≤ -160 dBc		


VSWR Measurement

Frequency	VSWR
6000 MHz	≤ 1.25:1

Physical Specification

Body Material:	Brass	Contact Material:	Phosphor Bronze
Body Plating:	White Bronze	Contact Plating:	Silver
Insulator Material:	PTFE / Teflon	Min. Operating Temperature:	-65 °C
Dimensions:	39 x 20	Max. Operating Temperature:	165 °C

Drawing



Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

