Powertec Wireless Technology
ABN: 42 082 948 463
PO Box 1034, Ashmore City
Queensland, Australia, 4214
sales@powertec.com.au
1300 769 378

Telegartner N Straight Plug Crimp RG-213/U crimp/crimp

SKU
ACC-TG-00031
MPN
100023905

Description


The Telegärtner N Straight Plug Crimp (SKU: ACC-TG-00031) is a high-quality RF connector designed for use with RG-213 cables. Featuring a N Male connector with a straight body and free-hanging mounting style, it ensures reliable connectivity for demanding applications. This connector uses a crimp/crimp attachment mechanism for secure cable connection.

Constructed from a lead-brass alloy with a copper-silver alloy plating, both the body and inner contacts offer excellent durability and corrosion resistance. The PTFE (Teflon) electrical insulator provides robust performance in various environments.

Telegärtner's N Straight Plug supports multiple mating cycles and operates efficiently within a wide temperature range. It is engineered to cater to high-tech telecommunications and data communications applications, ensuring top-grade performance.

Telegärtner, a renowned German brand, has been at the forefront of providing innovative solutions in...

Read More



Telegärtner

As family-owned company the Telegärtner Group has developed to an international network of affiliated companies specialising in intermediate and end products for telecommunications and data communications for customers with the most exacting demands for high-tech applications over the last 70 years.

Since the company was set up in 1945 Telegärtner has seen steady growth and has continually expanded ...

RF Connector Interface

RF Interface	Body Shape	Mounting
N Male	Straight	Free Hanging

RF Specification

Physical Specification

Cable Group
RG-213
Body Material
Lead-Brass Alloy (CuZn39Pb3)
Body Plating
Copper-Silver Alloy (Cu2Ag5 / Cu2Ag3)
Insulator Material
PTFE / Teflon
Dimensions
36.6 x 20.8
Conductor Attachment

Cable, Crimp


Contact Material

Lead-Brass Alloy (CuZn39Pb3)

Contact Plating

Copper-Silver Alloy (Cu2Ag5 / Cu2Ag3)

Drawing



Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

