

# ComAnt Offset Pattern Collinear Antenna, 440 to 475 MHz, 8dBi, N Female

SKU: ANT-CA-00006  
 MPN: CA450C2


## Description

The ComAnt Offset Pattern Collinear Antenna (SKU: ANT-CA-00006) from CompleTech is designed for professional communication applications within the 440 to 475 MHz frequency range. With a peak gain of 8dBi and a VSWR of <1.5:1, it ensures reliable signal performance for UHF applications. Featuring a single N Female RF connection, it integrates seamlessly into existing systems.

Constructed from durable ABS plastic, aluminium, and beryllium copper, this antenna is built to withstand challenging environments, certified with an IP67 rating for dust and water resistance. It operates efficiently in temperatures ranging from -40 °C to 80 °C, making it suitable for diverse outdoor installations.

The antenna's vertical polarisation and wide azimuth beamwidth of 181° provide excellent coverage in various settings. Its modular design allows easy adaptation across different applications, ensuring flexibility for changing needs. CompleTech, a renowned...

[Read More](#)



## RF Specification

Collinear Antenna		CompleTech	
CompleTech is a Finnish-owned company group specialising in the design, manufacturing and marketing of high quality ComAnt® communications antennas for professionals since 1990.			
Start Frequency:	440 MHz	Polarisation:	Vertical (V)
Stop Frequency:	475 MHz	Input Impedance:	50

RF Connectors

Ports	RF Interface	Body Shape
1	N Female	Straight

Frequency Test Data

Start Freq.	Stop Freq.	Peak Gain	VSWR	Azimuth	Elevation
440 MHz	475 MHz	8 dBi	< 1.5:1	181°	27°

# Physical Specification

Subtype:	Collinear	Dimensions:	985
Input Ports:	1	Ingress Protection:	IP67
MIMO:	1x1 SISO	Materials:	ABS Plastic, Aluminium, Beryllium Copper
Min. Operating Temperature:	-40 °C	Mounting:	Pole Clamp 35 to 60 mm
Max. Operating Temperature:	80 °C	Weight:	1.59 kg
		Compliance/Certifications:	RoHS

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

