

# Right Angle (Crossover) Clamp Bracket, Stainless Steel

SKU: MAS-BH-00145

MPN: AP-B-SS-CC

## Description

Suitable for perpendicular (90°) mounting of two pipes / tubes 30 to 114 mm in diameter. Mounting pipe works is a relatively straight forward exercise, pick where you need a 90° boom, clamp it on, tighten up the all thread and walk away.

Stainless Steel clamps are heavy duty, provide a long service life, and suitable for extreme environments. Each clamp is made from 30x30x30 pressed 3 mm 304 Stainless Steel. The threaded bar and nuts are by standard galvanised steel to avoid binding, but can be supplied stainless steel on request.

Using the wrong clamp or not using a bracing kit can lead to failure of the pipe work and costly network downtime. Using the wrong clamp can lead to a range of issues, the most simple of which is equipment misalignment due to a slipping clamp. In extreme cases, the material can break due to increased stresses induced by the constant vibration on a localised point from an inappropriate clamp. Selecting the ...

[Read More](#)



## APAC Infrastructure

APAC Infrastructure is an Australian metal fabrication company dedicated to high tech industries in the commercial, industrial, and defence sectors. Our team is committed to evolving our solutions to meet the rapidly changing needs of our rapidly changing world, ensuring your team deliver solutions at the very forefront of technological development. APAC develops made-to-measure height systems for ...

# Physical Specification

Subtype:	Mounting Bracket	Mounting:	Pole Clamp 30 to 114 mm
Dimensions:	400 × 160 × 160 mm		

## Available Interfaces

Quantity	Mounting
1	Pole Clamp 30 to 114 mm

## Subcomponents

Quantity	Name	Materials	Material Finish
1	90° Welded Jaws, 30x30x30 mm 3 mm Flat Bar	Stainless Steel (304)	Mill Finish
2	Jaw Clamps	Stainless Steel (304)	Mill Finish
4	M12 Threaded Bar	Steel	Electroplate Galvanised
8	M12 Nuts & Washers	Steel	Electroplate Galvanised

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

