

GRP Flooring for APAC Dual-Axle Alloy Modular Trailers, Factory Installation

SKU: MAS-BH-00360

MPN: AP-AMT-GFLDA


Description

This is a flooring option for the Dual Axle AMT Trailer, representing all seven GRP sections. These modules are typically fitted to the trailer as a factory option, but can also be supplied as a post-sales spare part.

The GRP moulded grating is a 38x38 IFR resin grid, with a 33 mm hole aperture. It has a 25 mm depth, RAL6010 Grass Green colouring as standard, and a Standard Grit surface finish. The trailer flooring can also be supplied Signal Yellow where requested.

The grating is attached to the AMT trailer using stainless steel L and M Clips.

Dimensions and weights below are per-module.



APAC Infrastructure

APAC Infrastructure is an Australian metal fabrication company dedicated to high tech industries in the commercial, industrial, and defence sectors. Our team is committed to evolving our solutions to meet the rapidly changing needs of our rapidly changing world, ensuring your team deliver solutions at the very forefront of technological development. APAC develops made-to-measure height systems for ...

Physical Specification

Subtype:	Attachments	Mounting:	APAC AMT Flooring Attachment
Dimensions:	1,440 × 330 × 25 mm	Weight:	5.8 kg

Subcomponents

Quantity	Name	Materials
7	38x38x25 Fibreglass Moulded Grating Modules	Fibreglass (GRP)
56	M/L Clips for 38x38x25 Grating	Stainless Steel (316)

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

