

Page



Powertec Wireless Technology  
ABN: 42 082 948 463  
PO Box 1034, Ashmore City  
Queensland, Australia, 4214  
sales@powertec.com.au  
1300 769 378

## **Victron Orion-Tr 24/12-5 (60W) DC-DC Converter**

SKU  
ENG-VT-00142  
MPN  
ORI241205200R  
Barcode  
8719076022855

## Description

The Victron Orion-Tr 24/12-5 (60W) DC-DC converter is an advanced and compact power solution designed for industrial applications. Efficiently converting 24V DC to a stable 12V DC output at 60W, it boasts a remarkable 96% efficiency, minimizing energy loss and optimizing power usage. Using high-frequency switching technology for precise regulation, it ensures reliability under varying loads. Its rugged design makes it ideal for automotive, marine, and industrial environments, offering enhanced protection against dust and moisture for long-term reliability.

Designed for efficiency, reliability, and versatility, the Victron Orion-Tr 24/12-5 (60W) DC-DC converter empowers your power management system with precise and stable voltage conversion. Explore the advanced capabilities of this converter today and experience the superior performance that Victron's engineering excellence delivers.

- High-performance DC-DC converter for seamless voltage adaptation
- Efficiently converts 24 V DC input to a stable 12 V DC output
- Constant 60 W power supply for diverse industrial applications
- Impressive efficiency rating of up to 96% for minimal energy loss
- High-frequency switching technology ensures precise regulation
- Rugged and compact design for reliable operation in challenging environments
- Conformal coating for enhanced protection against dust and moisture
- Comprehensive protection features: overvoltage, overcurrent, and short-circuit protection
- An intelligent thermal management system prevents overheating
- Easy...

[Read More](#)



### Victron Energy

Victron Energy is a Dutch company specialized in the design and manufacture of products for battery-based energy systems. Since 1975, Victron Energy has grown from a one-office technology startup to become an international enterprise with nearly 1,000 different products sold worldwide. In the off-grid sector, we offer reliable and innovative solutions from solar home systems to mini-grids. Our

...

# Electrical Specification

Input Voltage Type

DC

Nominal Voltage

24 V

Min. Input Voltage

18 V

Max. Input Voltage

35 V

Efficiency

95%

Output Voltage Type

DC

Output Voltage

12.7 V

Cont. Output Current

5 A

Max. Output Current

7 A

Off Load Current

< 20 mA

# Physical Specification

Dimensions

27 × 51 × 53 mm

Weight

0.09 kg

Power Connector

Screw Terminal, 4-Position

Min. Operating Temperature

-20 °C

Max. Operating Temperature

55 °C

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to

change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

