

# Powertec Attenuator 10 dB, N Female to Male

SKU: ACC-BH-00053

MPN: PCM-AT10-DC27.N2

Barcode: 9337692000157

## Description

The Powertec Attenuator 10 dB (SKU: ACC-BH-00053) is a high-quality RF passive component designed for a wide range of applications. Manufactured by Powertec, this passive component features an attenuation value of 10 dB, suitable for frequency ranges from 0 MHz to 3000 MHz. It ensures reliable performance with a VSWR of less than 1.2:1, making it ideal for precise signal control in various RF systems.

This attenuator is equipped with an N Male connector on the input port and an N Female connector on the output port. It operates efficiently within a temperature range of -35 °C to 65 °C and maintains an input impedance of 50 Ω, ensuring compatibility with standard RF equipment.

Powertec, an Australian-based leader in wireless technology since 1995, specialises in cellular network enhancement and wireless network development. The company supports over 1500 partners across Australia, New Zealand, Pacific Islands, South Asia, and Africa...

[Read More](#)



## Powertec

Powertec is a wireless technology manufacturer and systems integrator based in Australia. Operating since 1995, Powertec has grown to become the leading wireless technology distributor in its region, and a leading Infratech systems developer. Supporting over 1500 partners the company provides procurement, design, project management, and support services across Australia, New Zealand, Pacific ...

# RF Specification

Min. Frequency:	0 MHz	Input Impedance:	50
Max. Frequency:	3000 MHz	Max. Input Power:	5 W
Attenuation (Fixed):	10 dB		

## Port Matrix

Port Function	RF Interface
Input	N Male
Output	N Female


## Frequency Test Data

Start Frequency	Stop Frequency	VSWR
0 MHz	3000 MHz	< 1.2:1

# Physical Specification

Input Ports:	1	Materials:	Brass
Output Ports:	1	Min. Operating Temperature:	-35 °C
Subtype:	Attenuator	Max. Operating Temperature:	65 °C
Ingress Protection:	IP60	Compliance/Certifications:	ISO 9001 Quality Management
Dimensions:	58 x 20 mm (L x Dia)		
Weight:	0.06 kg		

Drawing



Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

