

# Powertec Dummy Load / Terminator, 5W, N Male

SKU: ACC-PT-00008

MPN: PCM-TL5-N1

Barcode: 9337692000065

## Description

The Powertec Dummy Load/Terminator (SKU: ACC-PT-00008), part number PCM-TL5-N1, is a high-quality RF passive component designed for reliable performance. This unit handles up to 5 watts of power and operates within a frequency range of 0 MHz to 3000 MHz, making it suitable for a wide array of RF applications.

Featuring a compact design with dimensions of 30 x 16.3 mm, it is equipped with an N Male connector and maintains an input impedance of 50  $\Omega$ . The device operates efficiently in temperatures ranging from -30 °C to 65 °C. Its superior performance is highlighted by a VSWR of less than 1.2:1 up to 3000 MHz, ensuring minimal signal reflection and optimal load accuracy.

Manufactured by Powertec, a leading Australian company in wireless technology and systems integration since 1995, this terminator/load is ideal for use in cellular network enhancement and wireless network development. Powertec is renowned for its comprehensive services...

[Read More](#)



## Powertec

Powertec is a wireless technology manufacturer and systems integrator based in Australia. Operating since 1995, Powertec has grown to become the leading wireless technology distributor in its region, and a leading Infratech systems developer. Supporting over 1500 partners the company provides procurement, design, project management, and support services across Australia, New Zealand, Pacific ...

# RF Specification

Min. Frequency:	0 MHz	Input Impedance:	50
Max. Frequency:	3000 MHz	Max. Input Power:	5 W

## Port Matrix

Port Function	RF Interface
Output	N Male


## Frequency Test Data

Start Frequency	Stop Frequency	VSWR
0 MHz	3000 MHz	< 1.2:1

# Physical Specification

Input Ports:	1	Min. Operating Temperature:	-30 °C
Output Ports:	0	Max. Operating Temperature:	65 °C
Subtype:	Terminator / Load		
Dimensions:	30x16.3		
Weight:	0.06 kg		

Drawing



Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

