

CommScope FSJ4-50B SureFlex(r) Jumper with interface types N Male and N Male, 0.8 m

SKU: ACC-CS-00069

MPN: F4A-PNMNM-M8

Description

The CommScope FSJ4-50B SureFlex® Jumper Cable (SKU: ACC-CS-00069, Part Number: F4A-PNMNM-M8) is an 0.8 m RF coaxial cable featuring N Male connectors on both ends. Designed for durability, it withstands multiple mating cycles. Operating within a frequency range of 0 GHz to 3000 GHz, this cable ensures optimal performance for RF applications. It offers an impressive VSWR of $\leq 1.11:1$ and a Return Loss of ≤ 25.96 dB at 0 MHz, improving to a VSWR of $\leq 1.08:1$ and a Return Loss of ≤ 27.99 dB at 2200 MHz.

The cable meets ISO 9001 Quality Management standards, ensuring high quality and reliability. Its N Male connectors have a straight body and free-hanging mounting style, making installation straightforward in various networking setups.

CommScope, a leader in telecommunications, is renowned for its advanced network solutions and innovation in communications infrastructure. With over 40 years of experience, CommScope supports global customers in...

[Read More](#)



COMMSCOPE®

CommScope

CommScope (NASDAQ: COMM) helps design, build and manage wired and wireless networks around the world. As a communications infrastructure leader, we shape the always-on networks of tomorrow. For more than 40 years, our global team of greater than 20,000 employees, innovators and technologists have empowered customers in all regions of the world to anticipate what's next and push the boundaries of ...

RF Specification

VSWR Measurement

Frequency	VSWR	Return Loss
3000 MHz	$\leq 1.11:1$	$\leq 25.96\text{ dB}$
2700 MHz	$\leq 1.08:1$	$\leq 27.99\text{ dB}$

Physical Specification

Subtype:	Jumper Cable	Length:	0.8 m
Compliance/Certifications:	ISO 9001 Quality Management		

RF Connectors

RF Interface

- N Male
- N Male

Body Shape

- Straight
- Straight

Mounting

- Free Hanging
- Free Hanging

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Powertec assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Powertec assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL POWERTEC BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.

